

Here's a summary of how the WHO H1N1 vaccine scam worked:

Step 1) Exaggerate the risk: WHO hypes up the pandemic risk by declaring a phase 6 pandemic even when the mortality rate of the virus was so low that it could be halted with simple vitamin D supplements.

Step 2) Urge countries to stockpile: WHO urged nations around the world to stockpile H1N1 vaccines, calling it a "public health emergency."

Step 3) Collect the cash: Countries spend billions of dollars buying and stockpiling H1N1 vaccines while Big Pharma pockets the cash.


Step 4) Get your kickbacks: WHO advisors, meanwhile, collected their kickbacks from the vaccine manufacturers. Those kickbacks were intentionally kept secret.

Step 5) Keep people afraid: In order to keep demand for the vaccines as high as possible, WHO continued to flame the fears by warning that H1N1 was extremely dangerous and everybody should continue to get vaccinated. (The CDC echoed the same message in the USA.)

Find The Science

Websites:
freeyurko.bizland.com
autismmedia.org
drtenpenny.com
infowars.com
vactruth.com
truthaboutgardasil.org
avn.org.au
vaccination.inoz.com
vaclib.org
vaccinationnews.com
users.telenet.be/vaccine.damage.prevention/
informedparent.co.uk
whale.to/vaccines.html

Search Facebook for:
 -Vaccine Free Children
 -Vaccine Reactions and Injuries



This immunization schedule is recommended for John, born on September 9, 2012.

Child's Age	Vaccine and Dose	Protects Against	Recommended Vaccination Date	Date Received (Record date here)
At Birth	Hepatitis B Dose 1 of 3	Hepatitis B virus (chronic inflammation of the liver, life-long complications)	Sep 9, 2012	
1 to 2 months (part of well-baby visit)	Hepatitis B Dose 2 of 3	Hepatitis B virus (chronic inflammation of the liver, life-long complications)	Oct 9, 2012 to Nov 9, 2012	
2 months (part of well-baby visit)	DTaP Dose 1 of 5	Diphtheria, tetanus and pertussis (whooping cough)	Nov 8, 2012	
	Hib Dose 1 of 4	Infections of the blood, brain, joints, or lungs (pneumonia)	Nov 8, 2012	
	Polio (IPV) Dose 1 of 4	Polio	Nov 8, 2012	
	Pneumococcal conjugate (PCV13) § Dose 1 of 4	Infections of the blood, brain, joints, inner ears, or lungs (pneumonia)	Nov 8, 2012	
4 months (part of well-baby visit)	Rotavirus ** Dose 1 of 3	Rotavirus diarrhea (and vomiting)	Nov 8, 2012	
	DTaP Dose 2 of 5	Diphtheria, tetanus and pertussis (whooping cough)	Jan 7, 2013	
	Hib Dose 2 of 4	Infections of the blood, brain, joints, or lungs (pneumonia)	Jan 7, 2013	
	Polio (IPV) Dose 2 of 4	Polio	Jan 7, 2013	
6 months (part of well-baby visit)	Pneumococcal conjugate (PCV13) § Dose 2 of 4	Infections of the blood, brain, joints, inner ears, or lungs (pneumonia)	Jan 7, 2013	
	Rotavirus ** Dose 2 of 3	Rotavirus diarrhea (and vomiting)	Jan 7, 2013	
	DTaP Dose 3 of 5	Diphtheria, tetanus and pertussis (whooping cough)	Mar 8, 2013	
	Hib Dose 3 of 4	Infections of the blood, brain, joints, or lungs (pneumonia)	Mar 8, 2013	
6 to 18 months	Pneumococcal conjugate (PCV13) § Dose 3 of 4	Infections of the blood, brain, joints, inner ears, or lungs (pneumonia)	Mar 8, 2013	
	Rotavirus ** Dose 3 of 3	Rotavirus diarrhea (and vomiting)	Mar 8, 2013	
	Hepatitis B Dose 3 of 3	Hepatitis B (chronic inflammation of the liver, life-long complications)	Mar 8, 2013 to Mar 8, 2014	
	Polio (IPV) Dose 3 of 4	Polio	Mar 8, 2013 to Mar 8, 2014	
6 months or older	Influenza Dose 1 of 2	Flu and complications	Mar 8, 2013 or later	
	Influenza Dose 2 of 2	Flu and complications	Apr 5, 2013 or later, and one dose yearly thereafter	
12 to 15 months	Hib Dose 4 of 4	Infections of the blood, brain, joints, or lungs (pneumonia)	Sep 9, 2013 to Dec 8, 2013	
	Pneumococcal conjugate (PCV13) § Dose 4 of 4	Infections of the blood, brain, joints, inner ears, or lungs (pneumonia)	Sep 9, 2013 to Dec 8, 2013	
	MMR Dose 1 of 2	Measles, mumps, and rubella (German measles)	Sep 9, 2013 to Dec 8, 2013	
	Varicella Dose 1 of 2	Chickenpox	Sep 9, 2013 to Dec 8, 2013	
12 to 23 months	Hepatitis A Dose 1 of 2	Hepatitis A virus (inflammation of the liver)	Sep 9, 2013 to Sep 9, 2014	
15 to 18 months	DTaP Dose 4 of 5	Diphtheria, tetanus and pertussis (whooping cough)	Dec 6, 2013 to Mar 8, 2014	
18 months or older	Hepatitis A Dose 2 of 2, (follows 6 months after Dose 1)	Hepatitis A virus (inflammation of the liver)	Mar 8, 2014 or later	
4 to 6 years	DTaP Dose 5 of 5	Diphtheria, tetanus and pertussis (whooping cough)	Sep 8, 2016 to Sep 8, 2018	
	Polio (IPV) Dose 4 of 4	Polio	Sep 8, 2016 to Sep 8, 2018	
	MMR Dose 2 of 2	Measles, mumps, and rubella (German measles)	Sep 8, 2016 to Sep 8, 2018	
	Varicella Dose 2 of 2	Chickenpox	Sep 8, 2016 to Sep 8, 2018	
	Tdap	Diphtheria, tetanus and pertussis (whooping cough)	Sep 7, 2023 to Sep 6, 2024	
11 to 12 years	MCV4 * Dose 1	Meningococcal conjugate vaccine	Sep 7, 2023 to Sep 6, 2024	
	HPV Dose 1 of 3	Human Papillomavirus (Females only)	Sep 7, 2023 to Sep 6, 2024	
	HPV Dose 2 of 3	Human Papillomavirus (Females only)	Nov 6, 2023 to Nov 5, 2024	
	HPV Dose 3 of 3	Human Papillomavirus (Females only)	Mar 5, 2024 to Mar 5, 2025	
Additional Vaccines	* Children who are at prolonged increased risk for meningococcal disease should be revaccinated. See Updated Recommendation for timing of the additional dose. A booster dose is recommended at age 15 years.			
	** If Rotavirus was administered for the first and second doses, a third dose is not required.			
	§ Children who are at increased risk for pneumococcal disease should be revaccinated. See Updated Recommendation for timing of the additional dose.			
Note	Consult your child's physician or healthcare professional about catch-up vaccinations and vaccines for travelers.			

Vaccine Injuries



www.torontotruthseekers.com
www.meetup.com/9-11-282/

These Are The Personal Stories

This is a small collection of photos people have posted onto the Facebook 'Vaccine reactions and injuries photo gallery' and 'Vaccine-Free Children Photo Gallery.' Vaccinations can have a wide range of malicious effects on a small child. The most common and most serious include Autism, Guillain-Barre, sleeplessness, SIDS, Cancer, numerous untold neurological disorders, hyperactivity and the development of allergies.



Sabin Polio

I state that my three children affected by vaccine reaction, were born perfectly healthy and that the manifestations of the disease appeared only after the first Sabin polio vaccine.

Hepatitis B

This photo was taken 9 days after the vaccination and he died when he was 47 days old, so that almost his whole life was one of agonising suffering - all for the sake of profits and medical BS dogma. :-)



MMR/HepB

Ella is paralyzed and on a pressure ventilator as her motor nerves are thought to be damaged, she is today in a state similar to "locked in syndrome" she is in there I can see my girl in her eyes but she cant talk anymore and walk but she is trying so hard , she feels pain,she cries a silent cry, and just been threw hell, all because I didnt know my baby wasnt strong enough to get a vaccination.




Gardasil

The toddler was mistakenly injected with the Gardasil vaccine, given to teenage girls to prevent cervical cancer, when he was just six weeks old, but doctors cannot say whether the vaccine caused the deadly disease.

DTaP

This is my beautiful 10 month old. I gave him his DTaP at 3 months (a little late bc he was ill at 2 months old). He began having seizures from it and they never went away. He also developed several allergies and has celiacs.



Hepatitis B

The baby they brought back to me was not the same baby they left with. This was not my calm, serene baby. This baby cried furiously, refused to fall asleep in the bassinet, or even be put down. I joked several times that we had a baby mix-up going on here but I tried to dismiss all thoughts that maybe...just maybe the vaccine did this

